

Risk assessment form (H&S)

Name of assessor(s)	Tom Tier	Group / Establishment:	SORLS / SSE
Date	20/12/2018		

What is the workplace / activity / equipment / conditions	How was the assessment done?	Next review date:	
(delete as appropriate) being assessed:	e.g. desktop exercise, site visit, in consultation with employees, managers, safety representatives?	January 2020	
Shelter building can be part of an offsite walk, a Bushcraft session or as a standalone activity. Locations for shelter building include sites on the Quantocks or at our Bushcraft	Completed by Senior Instructor	Mobile reception / nearest landline	
woodland near Pardlestone Lane.		Outdoor Centre	

Who could be harmed, and how?	What is already being done to control the risks?			ating L ikelihood	What further action is recommended to reduce risks further?	Action by whom?	Date action due	Date action done
		S	L	SxL	risks fulfiler:	WIIOIII	due	done
All participants – slips, trips & falls	 Safety briefing for all participants Constant monitoring throughout the session Potential hazards pointed out, branches, logs, uneven ground Area to be checked before the start of every session Walking expected at all times 	2	3	6				
All participants – walking into eye level branches/ branches being flicked, collecting sticks, branches & logs. Catching other team members with the ends of sticks or	Continuous monitoring throughout the session Remove branches if possible Resundations set out to the whole group		2	6				

Issued by: SCC Corporate Health & Safety Unit

Issue Date: June 2013

Who could be harmed, and how?	What is already being done to control the risks?	_*Risk Rating Severity x Likelihood		_	What further action is recommended to reduce risks further?	Action by whom?	Date action due	Date action done
			L	SxL	risks further:	Wilom		
branches, poked eyes	behaviour							
All participants – building shelters. Branches falling on participants, branches or sticks hitting a participant whilst being moved	 Safety brief for all participants No one should be inside of the shelter whilst being constructed Staff to assist if needed If large pieces of wood need to be carried, it should be done with more than one participant Check surroundings for others before moving any wood Continuous monitoring of all participants & behaviour 		2	6				
All participants – windy / extreme weather	 Weather forecast to be checked prior to start of session Stop for a break if needed Session ceased if needed, check with Senior management 	4	2	8				

^{*} Click here . for guidance in calculating Risk Rating. Rate the severity of the potential harm (between 1-5, where 5 is fatal) and the likelihood of the harm occurring (again 1-5 where 5 is very likely). Guidance is at .HS 004..

Please now pass this assessment to your manager for approval							
Name of assessor's manager:	Kirsty Darlington	Date:		Manager's comments			
Signature:							

Issued by: SCC Corporate Health & Safety Unit

Issue Date: June 2013